

OB Παροχή Ατμού - Steam Capacities				
kg/hr				
inlet barg	outlet barg	Διάσταση - Connection size		
		mm		
		15	20	25
Cv factors		3,7	4,6	5,8
0,35	0,20	30	38	48
	0,14	37	45	58
	0	46	57	72
0,7	0,55	34	43	54
	0,41	47	59	75
	0,28	57	70	89
1,0	0	70	87	110
	0,83	46	57	72
	0,62	63	78	99
	0,41	75	93	118
1,38	0-0,35	91	113	143
	1,0	63	79	99
	0,7	82	107	135
	0,35	100	125	158
1,72	0-0,14	106	132	167
	1,38	68	85	106
	1,0	93	115	145
	0,7	110	136	172
2,0	0-0,35	122	151	191
	1,72	72	90	114
	1,0	117	146	185
2,76	0-0,48	137	170	215
	2,0	111	138	175
	1,38	149	185	234
3,45	0-0,83	168	209	263
	2,76	122	151	191
	2,0	174	205	259
4,0	0-0,12	199	247	311
	3,45	132	164	206
	2,76	180	223	281
4,83	0-1,5	229	285	360
	4,0	141	175	221
	3,45	149	193	302
	2,76	228	284	358
5,52	0-1,9	260	323	408
	4,83	150	186	280
	4,0	205	255	322
	3,45	244	304	383
6,0	0-2,2	291	361	456
	5,52	157	196	247
	4,83	217	315	340
	4,0	259	322	406
	3,45	290	361	455
6,9	0-2,6	321	400	504
	6,0	165	205	259
	5,52	228	284	358
	4,83	273	340	428
	4,0	307	382	482
8,62	0-2,9	353	438	552
	7,59	222	276	349
	6,9	281	350	441
	5,52	363	451	568
	4,83	392	488	615
10,0	0-3,8	429	534	673
	8,97	278	345	435
	8,28	335	416	525
	6,9	417	519	654
0-4,3	506	629	793	

OB-30/31 Παροχή Νερού - Water Capacities			
l/min			
ΔΡ bar	Διάσταση - Connection size		
	mm		
	15	20	25
0,35	30	38	47
0,70	45	55	70
1,00	55	67	83
1,40	63	78	100
1,80	70	83	107
2,00	77	97	120
3,50	100	127	157
5,20	123	150	187
7,00	143	175	217
8,70	160	197	248
10,00	175	217	267